

AC 110

Cummins
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$%

CE

2000/14/EC

&\$\$#/(#

ž) \$' ž'ž' D:

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	144,00

fP GDE

GC ;) &

) & ž

fDF DE

%\$!

%

%&

GC " \$(**

ž&(

GC

ALTERNATOR

TRANSFER SWITCH

AC 110

Cummins
Mecc Alte
P 602

1

Manufacturer		Cummins														
Model		6BTA 5,9-G5														
		<table border="1"> <tr> <td>% \$ \$ ' "# "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>% \$ & \$ \$ ' "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0% + \$ \$ < DQ</td> <td></td> <td></td> <td></td> </tr> </table>			% \$ \$ ' "# "				% \$ & \$ \$ ' "				0% + \$ \$ < DQ			
% \$ \$ ' "# "																
% \$ & \$ \$ ' "																
0% + \$ \$ < DQ																
	L	5,900														
	"	102 x 120														
		17,6:1														
	fl # 7	"# "	1500													
	fl 7	L	16,40													
		L	19,80													
Absorbed Air Discharge ReSource Key.Text	' # "	7,86														
	' # "	216,00														
	' # "	21,42														
	° C	533,00														
		12 V d.c.														
	Load	% \$ \$ i	' +) i) \$ i												
	# "	25,00	18,00	12,00												

2

		Mecc Alte		
		ECP34 - 2S/4		
	Hz	50		
	"	105,00		
7 cg'		0,80		
		3		
	fl 7	400/230		
Temperature		H		

3

		fl 7		fl 7	
	"	"	"	"	L
AC 110	1250,00	2150,00	1050,00	1563,00	240,00
		fl 7		fl 7	
	"	"	"	"	L
AK 40	1600	3100	1057	1670	240

AC 110

Cummins
Mecc Alte
P 602

1 D * \$ & ! ' "



- 1 A U]b' g'Uhi g'X]gd'Um'f
- 2 8]gd'Um'g'V'c' "Vi h'rcb"
- 3 DU[Yf]b'z'c'fa U]j'c'b'k'Vi h'rcb"
- 4 7 ca a cb U'U'fa]b'X]W]h'c'f"
- 5 GHUhi g'@98'fj"
- 6 C dYfU]h'c'b'g'Y'Y'W]b['Vi h'rcb'g"

8G9ža cXY**\$&\$'5i h'c'A U]bg': U]i fY V'c'b'f'c' "a cXi Y"
 6UHY'fm'W'U'f[Y'f]'b'di h%' , !&* ('j c'h'z'ci h'di h''&+ž' 'j) '5'f&('j 'E'c'f'% ž 'j c'h) 5'f'W&J k
 9a Yf[Y'b'W'h'g'c'd' di g\ 'Vi h'rcb'Ub'X ž g'Y'g'z'f'V'c'b'f'c' 'W'f'W]'g"

7 ca dcbYb'g']b'g'U'Y'X]b'g'Y'Y'h'g'Y'Y'Y'b'W'c'g'i fY' "D\c'g'd\U'Y' W'Y'a]W'ž'd'f'Y!V'c'U]h]b['c'Z'g'h'Y' "d'f'c'j]X'Y'g'V'c'f'f'c'g]c'b
 f'Y'g]h'U'b'h'g'i f'Z'W' "D'c'm'Y'g'h'Y'f'V'c'a d'c'g]Y' d'c'k X'Y'f' h'c'd'V'c'U'h'z'c'fa g\] ['c'g'g'Ub'X'Y'i h'Y'a Y'm'Xi f'U'Y' ž]b]g\ "c'W'U'V'Y
 Ub'X\]b[Y'X'd'Ub'Y'X'c'c'f'd'f'c'j]X'Y'g'Y'U'g'm'U'W'W'g'g' h'c' "V'c'a d'c'b'Y'b'g'"

'7 c'b'f'c' "d'Ub'Y']g'a ci b'Y'X'c'b'V'U'g'Z'f'U'a Y'k]h' g'h'Y' "g'U'b'X' "c'W'U'Y'X'U'h'h'Y'f[\h'g]X'Y'c'Z'h'Y' [Y'b'Y'f'U'h'c'f'g'Y'h'f'k \Y'b'nc'i
 'cc_ U'h'h'Y'; Y'b"G'Y'h'Z'ca '5'f'Y'f'b'U'h'c'f'k

H\Y'8G9*\$&\$']g'U'g'U'g'U'f'X'V'c'b'f'c' "a cXi 'Y'z'f'c'i f[Y'b'Y'f'U'h'c'f'g'Y'h'g'i d'h'c'&\$\$_J 5'Ub'X'ih\U'g'V'Y'Y'b'X'Y'g][b'Y'X' h'c'
 g'h'U'f'h'U'b'X'g'h'c'd'X]Y'g'Y'Ub'X'[U'g[Y'b'Y'f'U'h'c'f'g'Y'h'g'"H\Y'8G9*\$&\$' a cXi 'Y'U'g'V'Y'Y'b'X'Y'g][b'Y'X' h'c' "a c'b]h'c'f[Y'b'Y'f'U'h'c'f
 Z'Y'e'i Y'b'W'z'j c'z'W'f'f'Y'b'h'z'Y'b[]b'Y'c']d'f'Y'g'g'i f'Y'z'V'c'U'bh'h'Y'a d'Y'f'U'h' f'Y'f'i b'b]b[\c'i f'g'U'b'X'V'U'h'Y'f'm'j c'h'g'"A cXi 'Y'
 a c'b]h'c'f'g'h'Y'a U]b'g'g'i d'd'i'm'U'b'X'g'k]h'W' 'c'j Y'f'h'c'h'Y' [Y'b'Y'f'U'h'c'f'k \Y'b'h'Y'a U]b'g'd'c'k Y'f'Z]g'"H\Y'8G9*\$&\$'U'g'c'
]b'X]W]h'Y'g'c'd'Y'f'U]h'c'b'U'g'U'hi g'U'b'X'Z]i 'h'V'c'b'X]h'c'g'z'5i h'c'a U]h'W' "m'g'v'i h]b['X'c'k b'h'Y'; Y'b"G'Y'h'U'b'X'[]]b['h'i Y'Z'f'g'h'i d'
 Z]i 'h'V'c'b'X]h'c'b'c'Z'; Y'b"G'Y'h'Z]i' f'Y'"H\Y'@78'X]g'd'Um]b'X]W]h'Y'g'h'Y'Z]i 'h'

A]W'c'd'f'c'W'g'g'c'f'V'c'b'f'c' "Y'X"
 @78'X]g'd'U'm'a U_Y'g]b'z'c'fa U]h'c'b'Y'U'g'm'h'c'f'Y'U'X"
 (!']b'Y'z'*('1' % & d]]Y'X]g'd'Um'f
 5i h'c'a U]h'W' "m'f'U'bg'Z'f'g'V'Y'h'k Y'Y'b'a U]b'g'f'i h]h'c'U'b'X' [Y'b'Y'f'U'h'c'f'd'c'k Y'f"
 A U'bi U' 'd'f'c[f'U'a a]b['c'b'Z'c'b'h'd'U'b'Y'"
 I g'Y'f'Z]Y'b'X'm'g'Y'h'i d'U'b'X'Vi h'rcb' "U'nc'i h'
 F'Y'a c'h'Y'g'U'f'h'
 9j Y'b'h'c[[]b['f']g'v'c'k]b['X'U'Y'U'b'X'h'a Y"
 7 c'b'f'c'g' 'G'h'c'd'f' Y'g'Y'h'Z'A U'bi U'Z'5i h'c'z'HY'g'h'Z'GHU'f'h'Z'Vi h'rcb'g'"5'b'U'X'X]h'c'b'U' 'di g\ 'Vi h'rcb' b'Y'i h'rc' h'Y'@78'X]g'd'Um]g'
 i g'Y'X'h'c'g'W'c' "h'f'c'i [\ h'Y'a cXi 'Y'g'f'a Y'h'f]b['X]g'd'Um'g"

AC 110

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghcd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
; YbYfUhc'f] YfW'ffYbH"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bH[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da YbH
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'H'V'bc'c[mUbX'ih\Ug\] [\ YZ]VW'VW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g] YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g]' Ua dYfz% z' J 'Zcf'%&j'c'hUbX'&+Z' J 'Zcf'&'(' "
#bdi h% , ' !&* (j c'h57 "' Dfc]bY' &(\$) \Ug'Z' mci hdi hg\chV'VW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VW'VW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h' "]bYUf'U'fYfbU]h] Yg" H\Y'VUf[Yf]g]Z'hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VY'hk Yyb'dcg]h] Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi V'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]VW'm(_J 'Zcf'\] [\ fY']UV]]h'

AC 110

Cummins
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240